Aquatic Resources Delineation Report

Orchard Solar
Jericho Road (IL-24)
Sugar Grove, Kane County Illinois
Terracon Project No. 11257022
July 11, 2025

Prepared for: CLEAN FIELD POWER LLC DOVER, DELEWARE







■ Materials



192 Exchange Blvd Glendale Heights, IL 60139 **P** 630-717-4263 **F** 630-357-9489 **Terracon.com**

July 11, 2025

Clean Field Power LLC 8 The Green Suite B Dover, Delaware 19901

Attn: Mr. Gary LaNoce

P: (215) 9322559

E: glanoce@cleanfieldpower.com

Re: Aquatic Resource Delineation Report

Orchard Solar Jericho Road (IL-24)

Sugar Grove, Kane County, Illinois 60506

Terracon Project No. 11257022

Dear Mr. LaNoce:

Terracon Consultants, Inc. (Terracon) is pleased to submit this aquatic resources delineation report for proposed community solar facility in Sugar Grove, Kane County, Illinois. This report has been prepared in accordance with Proposal No. P11257022, dated January 31, 2025, and the associated Service Authorization dated May 7, 2025.

During the delineation completed on June 10, 2025, two small, isolated wetlands were identified within the study area. Based on current guidance, it is Terracon's opinion that the onsite aquatic features would not likely be considered jurisdictional waters of the United States (WOTUS) by the United Stated Army Corps of Engineers (USACE); however, these features may be regulated as isolated wetlands under the Kane County Stormwater Management Ordinance. It should be noted that this jurisdictional opinion is not authoritative, and that regulatory definitions and status of WOTUS may change due to agency guidance, litigation, or other regulatory mechanisms.

It is Terracon's understanding that the client intends to avoid impacts to the wetlands identified within the study area. Upon availability of project plans documenting avoidance of the wetlands, Terracon recommends coordinating with the USACE Chicago District to obtain a "No Permit Required" letter.

Terracon appreciates the opportunity to have worked for you on this project. Please feel free to contact Aric Larson at (8500 445-8933 or aric.larson@terracon.com if you have questions or require additional information regarding the content of this report.



Sincerely,

Terracon Consultants, Inc.

Kelsey Retich Project Scientist Áric A. Larson Senior Scientist

Enclosure

Delineation Report and attachment



Table of Contents

| 1.0 | INTRODUCTION | .1 |
|--|---|----------------|
| 2.0 | SCOPE OF SERVICES | .1 |
| 3.0 3.1 3.3 3.4 3.5 3.6 | PRELIMINARY DATA GATHERING AND ANALYSIS Topographic Map / LiDAR Topography National Wetlands Inventory Map Soil Survey FEMA National Flood Hazard Layer Map Wetland Hydrologic Index | .2 .3 .3 |
| 4.0 | FIELD TECHNIQUES | .7 |
| 5.0 5.1 | SUMMARY OF FIELD OBSERVATIONS AND RESULTS Open Water and Wetland Features | |
| 6.0 | CONCLUSIONS | .10 |
| 7.0 | GENERAL COMMENTS | .11 |
| Tabl Tabl | of Tables e 1 Study Area Mapped Soil Types e 2: Study Area Wetland Hydrologic Condition for June 2025 e 3: DAREM Score Summary for June 2025 | 7 |
| Tabl | e 4: Wetland Plant Indicator Status Descriptions | 8 |
| | | |

Appendices

- **APPENDIX A EXHIBITS**
- **APPENDIX B AERIAL IMAGERY**
- **APPENDIX C ANTECEDENT PRECIPITATION TOOL DATA**
- **APPENDIX D USACE WETLAND DETERMINATION DATA FORMS**
- **APPENDIX E STUDY AREA PHOTOGRAPHS**
- **APPENDIX F CREDENTIALS**
- **APPENDIX G COMMON ACRONYMS**



1.0 INTRODUCTION

Terracon Consultants, Inc., (Terracon) was retained by Clean Field Power LLC (Client) to perform an aquatic resources delineation for approximately 279.57 acres of land located at Jericho Rd, Sugar Grove, Kane County, Illinois (study area), as depicted on *Exhibit 1.0* in *Appendix A*.

The delineation was generally performed in accordance with the 1987 United States Army Corps of Engineers (USACE) Manual and 2010 Midwest Regional Supplement 2.0. The United States Supreme Court issued its decision in Sackett v. Environmental Protection Agency (EPA) on May 25, 2023 and a publication of the Final Rule - Amendments to the Revised Definition of Waters of the United States (WOTUS), effective on September 8, 2023. Based on the ruling, WOTUS are limited to streams, rivers, lakes, oceans, relatively permanent water bodies that are connected to navigable waters that are navigable in fact, and wetlands that have a continuous surface connection with navigable waters. The delineation was also generally performed in accordance with the Interagency Wetlands Policy Act of 1989 (IWPA) regulated by the Illinois Department of Natural Resources (IDNR).

Consistent with these guidance documents, Terracon traversed the study area, and documented changes in vegetation, soil, and hydrologic conditions utilizing USACE approved data forms for the Midwest Region. In some instances, where these characteristics remained consistent with adjacent detailed data point locations, reference photo points were utilized to document reoccurrence. Data was collected in the field utilizing a Bad Elf Flex Global Positioning System (GPS) unit, capable of approximately one meter accuracy. GPS data was differentially corrected in real-time using Satellite Based Augmentation System (SBAS) utilizing the regional reference system and exported to an ArcGIS geodatabase for analysis. Data point coordinates are reported in latitude and longitude, Global Coordinate System (GCS), North American Datum (NAD), 1983.

The purpose of performing the delineation was to characterize the existing site conditions and document the presence of aquatic features with the potential to be regulated as WOTUS by USACE under Section 404 of the Clean Water Act (CWA) and Section 10 of the Rivers and Harbors Act (RHA), the Illinois Environmental Protection Agency (IEPA) under Section 401 of the CWA, and by Kane County under the Kane County Stormwater Management Ordinance.

2.0 SCOPE OF SERVICES

Terracon performed the following scope of work:

Reviewed United States Geologic Survey (USGS) 7.5-minute topographic maps, United States Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI) data, United States Department of Agriculture (USDA) soil survey data, Federal Emergency Management Agency (FEMA) floodplain maps, aerial photographs, and



local climatic data to assist in identifying potential WOTUS and wetland areas at the study area.

- Mobilized to the study area to conduct the aquatic resources delineation.
- Prepared a map showing approximate locations of potential WOTUS, including wetland areas observed and delineated during the site visit, if identified.
- Prepared an aquatic resources delineation report that included site characterization information and a discussion of applicable data.

3.0 PRELIMINARY DATA GATHERING AND ANALYSIS

Prior to performing the delineation, several sources of mapping and other relevant background data were reviewed to assist with identifying potential aquatic features within the study area. Each source of data is described in detail below.

3.1 Topographic Map / LiDAR Topography

The USGS 7.5-Minute Series topographic maps (1:24,000) for the Yorkville, Illinois quadrangle (2024) and the Light Detection and Ranging (LiDAR)¹ topography map was evaluated to preliminarily identify drainages, creeks, ponds, wetlands, and other aquatic features, as well as characterize vegetation and potential areas of habitat within the study area. The USGS quadrangle maps depict elevations ranging from approximately 670 to 700 feet above mean sea level (msl). The study area slopes down from Jericho Road moving north to the center of the site containing potential wetlands, indicated by the blue symbols on the map. The site then slopes up towards the northern site boundary. The northwestern portion of the site contains a small, wooded area depicted by green shading. The site is depicted as undeveloped vacant land abutting Jericho Road to the south. There are a few houses with garages/shops depicted near the southeast corner of the site. *Exhibit 2 (Appendix A)* depicts the USGS topographic map in the vicinity of the study area and *Exhibit 3 (Appendix A)* depicts the LiDAR topography (1-foot elevation contours) of the study area and surrounding areas.

3.2 Aerial Photographs

Publicly available Google Earth aerial imagery from 1993 through 2024 was reviewed. The review indicated that in 1993 a large wetland feature occurred over the central portion of the study area, spanning the east to west. Sometime between March 1993 and April 1998 the western portion of the wetland was partially converted into agricultural fields. Sometime during or after 2021, it appears that drainage tile was installed through this wetland area to facilitate drainage. Based on aerial imagery from 2021 – 2024, hydrology within this wetland area has been significantly reduced.

¹ Illinois Geospatial Data Clearinghouse - Digital Elevation Model utilized to create LiDAR contours and Digital Terrain Model image (2025)



The rest of the site has remained unchanged over the last 32 years. Most of the site consists of agricultural row crops, with a deciduous wooded area in the northwest corner of the site. A fence line hedgerow bisects the middle of the site from the north to south. The southern site boundary is bordered by Jericho Road and the southeastern corner of the project area has approximately four homes along with garages/shops. The surrounding properties largely consist of agricultural land for row crops with deciduous wooded fencerows and riparian corridors. Select aerial imagery of the study area is included in Appendix B.

3.3 National Wetlands Inventory Map

NWI data was reviewed to identify potential aquatic features within the study area. The data was published by the USFWS and depicts potential wetland areas and other waterbodies based on stereoscopic analysis of high-altitude aerial photographs. It is Terracon's understanding that the published data is not regularly updated and has not been validated in the field. Presence of mapped NWI features is not always indicative of the presence of jurisdictional waterbodies or wetlands.

A palustrine emergent persistent seasonally flooded, farmed wetland (PEM1Cf) is depicted in the central portion of the study area. NWI features surrounding the study area are depicted atop recent aerial imagery in *Exhibit 4* of *Appendix A*.

3.4 Soil Survey

Data from the USDA Natural Resource Conservation Service (NRCS) Web Soil Survey and the State Soil Data Access Hydric Soils List were reviewed to characterize soils within the study area and vicinity, accessed July 8, 2025. The study area is located within thirteen soil units. *Table 1* contains a summary of the mapped soil unit within the study area and relevant physical characteristics. The USDA NRCS soil survey map for the study area is included as *Exhibit 5*.

| Table 1 Study Area Mapped Soil Types | | | | | | | | | | | | |
|--------------------------------------|--|--|------------------------------|-------------------------|-----------------------------|-------------------------------|--------------------------|--|--|--|--|--|
| Map Unit Symbol | Map Unit Name | Landform | Natural Drainage Class | Frequency of Ponding | Frequency of Flooding | Depth to Water Table | Hydric Soil Rating | | | | | |
| 59A | Lisbon silt loam, 0 to 2 percent slopes | Ground moraines, end moraines | Somewhat poorly drained | None | None | 46 centim eters (cm) | Non hydric | | | | | |



Table 1 Study Area Mapped Soil Types

| Map Unit Symbol | Map Unit Name | Landform | Natural Drainage Class | Frequency of Ponding | Frequency of Flooding | Depth to Water Table | Hydric Soil Rating |
|-----------------------|--|--|------------------------------|----------------------|-----------------------------|-------------------------------|--------------------------|
| 59B | Lisbon silt loam, 2 to 4 percent slopes | Ground moraines, end moraines | Somewhat poorly drained | None | None | 46 cm | Non hydric |
| 103A | Houghton muck, 0 to 2 percent slopes | Depressions | Very poorly drained | Frequent | None | 0 cm | Hydric |
| 152A | Drummer silty clay loam, 0 to 2 percent slopes | Stream terraces on outwash plains, stream terraces on till plains, swales on outwash plains, swales on till plains | Poorly drained | Frequent | None | 15 cm | Hydric |
| 154A | Flanagan silt loam, 0 to 2 percent slopes | Till plains, ground moraines | Somewhat poorly drained | None | None | 46 cm | Non hydric |
| 219A | Millbrook silt loam, 0 to 2 percent slopes | Outwash plains, stream terraces | Very poorly drained | None | None | 38 cm | Non hydric |



Table 1 Study Area Mapped Soil Types

| Мар | | | Natural | | Frequency | Depth | Hydric |
|----------------|--|--|-------------------------------|-------------------------|----------------|----------------------|----------------|
| Unit Symbol | Map Unit Name | Landform | Drainage Class | Frequency of Ponding | of Flooding | to Water Table | Soil Rating |
| 221C2 | Parr silt loam, 5 to 10 percent slopes, eroded | Ground moraines, end moraines | Moderately well drained | None | None | 84 cm | Non hydric |
| 330A | Peotone silty clay loam, 0 to 2 percent slopes | Depressions | Very poorly drained | Frequent | None | 15 cm | Hydric |
| 356A | Elpaso silty clay loam, 0 to 2 percent slopes | Till plains, ground moraines | Poorly drained | Frequent | None | 15 cm | Hydric |
| 512B | Danabrook silt loam, 2 to 5 percent slopes | Ground moraines, end moraines | Moderately well drained | None | None | 84 cm | Non hydric |
| 512C2 | Danabrook silt loam, 5 to 10 percent slopes, eroded | Ground moraines, end moraines | Moderately well drained | None | None | 84 cm | Non hydric |
| 656C2 | Ottagon silt loam, 4 to 6 percent slopes, eroded | Ground moraines, end moraines | Moderately well drained | None | None | 84 cm | Non hydric |



| | Table 1 Study Area Mapped Soil Types | | | | | | | | | | | | | |
|-----------------------|---|--|-------------------------------|-------------------------|-----------------------------|-------------------------------|--------------------------|--|--|--|--|--|--|--|
| Map Unit Symbol | Map Unit Name | Landform | Natural Drainage Class | Frequency of Ponding | Frequency of Flooding | Depth to Water Table | Hydric Soil Rating | | | | | | | |
| 656D2 | Octagon silt loam, 6 to 12 percent slopes, eroded | Ground moraines, end moraines | Moderately well drained | None | None | 84 cm | Non hydric | | | | | | | |

3.5 FEMA National Flood Hazard Layer Map

Terracon downloaded and reviewed the FEMA National Flood Hazard Layer (NFHL) panel 117093C0035H, effective January 8, 2014. According to the NFHL, the study area is depicted within Zone X: area of minimal flood hazard. A map depicting the digital NFHL is included as *Exhibit 6* in *Appendix A*.

3.6 Wetland Hydrologic Index

Terracon reviewed local climate data to identify current site hydrologic conditions. Data from the NRCS Agriculture Applied Climate Information System (AgACIS) was downloaded and reviewed using the Direct Antecedent Rainfall Evaluation Method (DAREM), accessed July 8, 2025. The DAREM provides an index of climatic conditions, as they pertain to wetland hydrology, for the time period in which field data was collected. Antecedent rainfall data was obtained from the Aurora Water weather station, the nearest stations to the study area with the range of historic data available necessary to calculate the DAREM.

Tables 2 and 3 summarize the DAREM index data for the study area at the time of the field investigation on June 10, 2025. According to the DAREM, the study area was experiencing drier than normal hydrologic conditions. Additionally, daily rainfall accumulation data from the Aurora Water weather station (located approximately 6.6 miles east of the study area) indicated that the study area received a total of 0.95 inches of rainfall the 7 days prior to fieldwork. Data obtained from the USACE Antecedent Precipitation Tool is included in *Appendix C*.



Table 2: Study Area Wetland Hydrologic Condition for June 2025 WETS Percentile (in) 30-Days **Natural Drainage Class** Prior Measured Condition² Weight³ Score Ending Rainfall¹ Month Date 30th70th 3 6-10-2025 2.83 5.36 1.89 3 1st 1 2 2nd 5-11-2025 3.55 5.16 2.01 1 2 3 3 3rd 4-11-2025 1.97 2.81 3.13 1 8 Total:

³Monthly weights equal 3 for the prior month, 2 for the second prior month, and 1 for the third prior month.

| Table 3: DAREM Score Summary for June 2025 | | | | | | | | | | | | | |
|--|-----|-------------------|----------|---|----|--------|----|----|----|----------|---------|-----|----|
| DAREM Score (Observed Score) | 6 | 7 | <u>8</u> | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| DAREM Wetland Hydrologic Condition | Dri | Drier than normal | | | ī | Normal | | | W | etter th | an norn | nal | |

4.0 FIELD TECHNIQUES

Terracon personnel conducted the delineation on June 10, 2025, to characterize the existing site conditions and identify/delineate the presence of aquatic features with the potential to be regulated. Based on the size of the study area, and generally consistent with the regulatory guidance outlined in Section 1.0, Terracon collected data points documenting vegetation, soil, and hydrologic characteristics. This methodology is consistent with general USACE guidance to expedite field data collection and reduce unnecessary redundancy and paperwork.

Five data points were collected during the field investigation. Data was collected in the field utilizing a GPS unit capable of approximately one meter accuracy. GPS data was differentially corrected in real-time using SBAS utilizing the regional reference system and exported to an ArcGIS geodatabase for analysis. Data point coordinates are reported in latitude and longitude, WGS 1984.

Aquatic features were identified based on the presence of an ordinary high-water mark (OHWM) and bed/bank features, or the presence of wetland indicators where applicable. For

¹Measured rainfall recorded at the Aurora Water weather station.

²Condition: 1 = monthly rainfall totals less than the 30-year Extreme Rainfall Distribution 30th percentile,

^{2 =} monthly rainfall totals between the 30^{th} and 70^{th} percentile for the 30-year Extreme Rainfall Distribution, 3 = monthly rainfall totals greater than the 70^{th} percentile for the 30-year Extreme Rainfall Distribution.



portions of the surface tributary system (i.e., streams and impoundments of streams, and certain types of manmade canals), the OHWM is the limit of USACE jurisdiction under Section 404. The OHWM can generally be defined as the line on the shore established by the fluctuation of the surface water, and is indicated by the following characteristics:

- clear line impressed on the bank,
- shelving,
- changes in soil character,
- destruction of terrestrial vegetation,
- the presence of litter and debris, or
- other features influenced by the surrounding area.

The USACE and EPA define wetlands as "those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstance do support, a prevalence of vegetation typically adapted for life in saturated soil condition. Wetlands generally include swamps, marshes, bogs, and similar areas" (33 CFR 328.3b). In order to make a positive wetland determination, indicators of hydrophytic vegetation, hydric soil, and wetland hydrology must be observed and recorded. In order to provide data with which to evaluate hydrophytic vegetation, the USACE publishes wetland indicator statuses for many plant species in the National Wetlands Plant List (NWPL). If a species is not listed on the NWPL, it is assumed to be an upland species. Generally, hydrophytic vegetation is indicated if there is a dominance or prevalence of FAC, FACW, or OBL vegetation². Table 4 defines the NWPL indicator categories.

| Table 4: Wetland Plant Indicator Status Descriptions | | | | | | | | |
|--|----------------------------|--|--|--|--|--|--|--|
| Indicator Status (Abbreviation) | Occurrence in Wetlands (%) | | | | | | | |
| Obligate (OBL). Occur almost always under natural conditions in wetlands. | 99% | | | | | | | |
| Facultative Wetland (FACW). Usually occur in wetlands, but occasionally found in non-wetlands. | 67%-99% | | | | | | | |
| Facultative (FAC). Equally likely to occur in wetlands and non-wetlands. | 34%-66% | | | | | | | |

² If a community is dominated by FAC vegetation, hydric soil and wetland hydrology must be present for the community to be considered hydrophytic.



| Table 4: Wetland Plant Indicator Status Descriptions | | | | | | | | |
|---|----------------------------|--|--|--|--|--|--|--|
| Indicator Status (Abbreviation) | Occurrence in Wetlands (%) | | | | | | | |
| Facultative Upland (FACU). Usually occur in non-wetlands but occasionally found in wetlands. | 1%-33% | | | | | | | |
| Upland (UPL) occur in wetlands in another region but occur almost always in non-wetland under natural conditions in the region specified. | 1% or less | | | | | | | |

To evaluate hydric soil, profiles (between 4 and 20 inches) were excavated and characterized utilizing Munsell Soil Color Charts (Munsell, 2009) to record soil color. Visual and tactile observations related to composition, texture, and disturbance were also recorded. This information was compared to criteria in the Field Indicators of Hydric Soils in the United States manual (USDA, NRCS, 2017) to make a positive or negative determination of hydric soil. Generally, hydric soils exhibit physical characteristics (aroma, composition, color, texture) indicative of biogeochemical processes associated with anoxic conditions; including the presence of decaying organic material, hydrogen sulfide odor, and redoximorphic characteristics (i.e., iron or manganese depletions and/or concentrations).

Wetland hydrology is generally indicated by visual observations of saturated or inundated conditions. For the Midwest Region, the USACE approved data form includes 19 primary indicators of wetland hydrology, and eight secondary indicators of wetland hydrology. To make a positive determination of wetland hydrology, one primary or two secondary indicators must be present. In the absence of these indicators, a positive wetland hydrology determination can be made if hydric soil and hydrophytic vegetation are present, and morphological adaptations associated with prolonged inundation (e.g. adventitious roots, aerenchyma tissue, etc.) are present on dominant vegetation species. Additionally, stream gauge data, aerial photos, and previous wetland delineation data can all be utilized in the absence of visual indicators in certain circumstances.

5.0 SUMMARY OF FIELD OBSERVATIONS AND RESULTS

On June 10, 2025, Terracon completed the delineation of the study area. The study area primarily consisted of agricultural fields with soybeans (*Glycine max*) as the most recent crop. Terracon identified two small, isolated wetlands within the study area. These wetlands were located within a larger former wetland area that has been drained by installation of drainage tile.

During the delineation, Terracon collected data for vegetation, soils, and hydrology at five data points. Aquatic features are depicted on *Exhibit 7* in *Appendix A*. Wetland determination data forms are provided in *Appendix D*, and study area photographs are provided in *Appendix*



E. Descriptions of the aquatic features identified within the study area are provided in the following sections.

5.1 Open Water and Wetland Features

The following wetlands were identified within the study area:

■ WA: A ±0.07-acre emergent wetland was observed near the eastern boundary of the study area. This wetland appears to be a remnant feature within a former larger wetland area on the study area that has been hydrologically impacted by the installation of drain tile. Dominant vegetation observed included reed canary grass (*Phalaris arundinacea*), and hybrid cattail (*Typha x glauca*). DP-4 documents the wetland characteristics. Muck soils were observed. While primary hydrology indicators were not observed during the site reconnaissance, secondary hydrology indicators included saturation visible on aerial imagery, and positive FAC-Neutral test.

Wetland WA did not have an apparent continuous surface connection to a traditionally navigable water and would not likely be considered jurisdictional by USACE; however, this wetland may be regulated by Kane County under the Kane County Stormwater Management Ordinance.

■ **WB:** A ±0.03-acre emergent wetland was observed near the western boundary of the study area. This wetland also appears to be a remnant feature within a former larger wetland area on the study area that has been hydrologically impacted by the installation of drain tile. Dominant vegetation observed included reed canary grass (*Phalaris arundinacea*), curly doc (*Rumex crispus*), and white mulberry (*Morus alba*). DP-2 documents the wetland characteristics. Muck soils were observed. While primary hydrology indicators were not observed during the site reconnaissance, secondary hydrology indicators included saturation visible on aerial imagery, and positive FAC-Neutral test.

Wetland WB did not have an apparent continuous surface connection to a traditionally navigable water and would not likely be considered jurisdictional by USACE; however, this wetland may be regulated by Kane County under the Kane County Stormwater Management Ordinance.

6.0 CONCLUSIONS

An aquatic resources delineation was completed for the ± 279.57 -acre study area on June 10, 2025. Two small, isolated wetlands were identified within the study area.

Under current guidance, it is Terracon's opinion that these features are not likely to be considered jurisdictional by USACE; however, these features may be regulated by Kane County under the Kane County Stormwater Management Ordinance.



It should be noted that this jurisdictional opinion is not authoritative, and that regulatory definitions and status of WOTUS may change due to litigation or other regulatory mechanisms.

It is Terracon's understanding that the client intends to avoid impacts to the wetlands identified within the study area. Upon availability of project plans documenting avoidance of the wetlands, Terracon recommends coordinating with the USACE Chicago District to obtain a "No Permit Required" letter.


7.0 GENERAL COMMENTS

The aquatic resources delineation was performed in accordance with generally accepted scientific and engineering evaluation practices of this profession undertaken in similar studies at the same time and in the same geographical area. In conducting the limited scope of services described herein, certain sources of information and public records were not reviewed. No biological assessment can wholly eliminate uncertainty regarding the potential for concerns in connection with a project.

This report has been prepared for the exclusive use and reliance of the Client. Use or reliance by other parties is prohibited without the written authorization of the Client and Terracon. Reliance on the report by the Client and all authorized parties will be subject to the terms, conditions and limitations stated in the proposal, signed agreement, and report.



APPENDIX A Exhibits



Project No.:

11257022

Date:

Jul 2025

Drawn By: JMA

Reviewed By: AAL



9856 S. 57th Street Franklin, WI 53132


PH. (850) 445-8933

terracon.com

Study Area Parcel Map

Aquatic Resources Delineation Orchard Solar Aurora, Kane County, Illinois

Exhibit



Project No.:

11257022

Date: Jul 2025

Drawn By:

JMA
Reviewed By:


AAL

 9856 S. 57th Street
 Franklin, WI 53132

 PH. (850) 445-8933
 terracon.com

Topographic Project Location

Aquatic Resources Delineation Orchard Solar Aurora, Kane County, Illinois **Exhibit**



Index Contour

Intermediate Contour

400 800 1,600

DATA SOURCES:

DATA SOURCES: Illinois Geospatial Data Clearinghouse - Kane County Digital Elevation Model (2017) utilized to create LiDAR contours, Digital Surface Model used for background image; ESRI - World Navigation Map

Project No.:

11257022

Date:

Jul 2025

Drawn By:

JMA

Reviewed By: AAL



9856 S. 57th Street Franklin, WI 53132


PH. (850) 445-8933

terracon.com

LiDAR Topography

Aquatic Resources Delineation Orchard Solar Aurora, Kane County, Illinois

Exhibit



National Wetlands Inventory

Freshwater Emergent Wetland

Freshwater Pond

Riverine

0 1,000 2,000 4,000

DATA SOURCES: USFWC - National Wetlands Inventory (NWI); ESRI - World Imagery Basemap & World Navigation Map

Project No.:

11257022

Date:

Jul 2025

Drawn By:

JMA Reviewed By:

AAL



9856 S. 57th Street Franklin, WI 53132


PH. (850) 445-8933


terracon.com

National Wetlands Inventory

Aquatic Resources Delineation Orchard Solar Aurora, Kane County, Illinois

Exhibit






Date: Jul 2025 Drawn By: JMA 9856 S. 57th Street Reviewed By:

AAL

rracon Franklin, WI 53132 PH. (850) 445-8933 terracon.com

Aquatic Resources Delineation **Orchard Solar** Aurora, Kane County, Illinois

| _ | Х | n | וכ | τ |
|---|---|---|----|---|
| | | | | |



Study Area (279.57 ac.±) Wetlands (0.10 ac.±)

- Data Point Location
- Reference Photo Point (RPP) Location

400 800 1,600

DATA SOURCES: Terracon - Wetland/Stream Delineation; ESRI - World Imagery Basemap & World Navigation Map

Project No.:

11257022

Date:

Jul 2025

Drawn By:

JMA

Reviewed By: AAL



9856 S. 57th Street Franklin, WI 53132

PH. (850) 445-8933

terracon.com

Depiction of Aquatic Resources

Aquatic Resources Delineation Orchard Solar Aurora, Kane County, Illinois

| Evhi | hit |
|------|-----|



APPENDIX BHistorical Aerial Maps





May 23, 2013



September 20, 2015





June 17, 2016



April 7, 2017





October 15, 2018



October 18, 2019





May 29, 2021



July 13, 2021





June 19, 2023




June 7, 2024



APPENDIX C Antecedent Precipitation Data

Antecedent Precipitation vs Normal Range based on NOAA's Daily Global Historical Climatology Network



| Coordinates | 41.737191, -88.424270 |
|----------------------------------|----------------------------|
| Observation Date | 2025-06-10 |
| Elevation (ft) | 658.677 |
| Drought Index (PDSI) | Moderate drought (2025-05) |
| WebWIMP H ₂ O Balance | Dry Season |

| 30 Days Ending | 30 th %ile (in) | 70 th %ile (in) | Observed (in) | Wetness Condition | Condition Value | Month Weight | Product |
|----------------|----------------------------|----------------------------|---------------|-------------------|-----------------|--------------|-----------------------|
| 2025-06-10 | 2.833071 | 5.361811 | 1.889764 | Dry | 1 | 3 | 3 |
| 2025-05-11 | 3.546851 | 5.163386 | 2.007874 | Dry | 1 | 2 | 2 |
| 2025-04-11 | 1.972835 | 2.810236 | 3.133858 | Wet | 3 | 1 | 3 |
| Result | | | | | | | Drier than Normal - 8 |



Figures and tables made by the Antecedent Precipitation Tool Version 2.0

Developed by: U.S. Army Corps of Engineers and U.S. Army Engineer Research and Development Center

| Weather Station Name | Coordinates | Elevation (ft) | Distance (mi) | Elevation Δ | Weighted Δ | Days Normal | Days Antecedent |
|------------------------|-------------------|----------------|---------------|-------------|------------|-------------|-----------------|
| AURORA WATER | 41.7803, -88.3092 | 674.869 | 6.637 | 16.192 | 3.094 | 11332 | 90 |
| AURORA 2.8 WSW | 41.7588, -88.3461 | 687.008 | 2.413 | 12.139 | 1.115 | 4 | 0 |
| AURORA 3.4 W | 41.7723, -88.3577 | 689.961 | 2.559 | 15.092 | 1.19 | 6 | 0 |
| NORTH AURORA 1.5 NE | 41.8163, -88.3068 | 719.16 | 2.49 | 44.291 | 1.231 | 2 | 0 |
| CHICAGO AURORA MUNI AP | 41.7714, -88.4814 | 701.116 | 8.894 | 26.247 | 4.236 | 5 | 0 |
| WHEATON 3 SE | 41.8128, -88.0728 | 680.118 | 12.382 | 5.249 | 5.637 | 4 | 0 |



APPENDIX D USACE DATA FORMS

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Midwest Region

See ERDC/EL TR-10-16; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

| Project/Site: Orchard Solar | | City/Cou | inty: Sugar (| Grove / Kane | Sampling Dat | e: <u>6-10</u> | -2025 |
|--|---------------------|-------------------|----------------------------|---|--------------------------------|----------------|---------|
| Applicant/Owner: Cleanfield Power | | | | State: IL | Sampling Poir | nt:[| DP1 |
| Investigator(s): Aric Larson, Nick Fritz (Terracon) | | Section, | Township, Ra | ange: 27, 38N, 7E | | | |
| Landform (hillside, terrace, etc.): slope | | <u> </u> | Local relief (| concave, convex, none |): None | | |
| Slope (%): 2% Lat: 41.737324 | | Long: - | -88.423860 | | Datum: NAD83 | | |
| Soil Map Unit Name: 103A - Houghton muck, 0-2 pe | ercent slopes | | | NWI class | sification: PEM1C | f | |
| Are climatic / hydrologic conditions on the site typica | al for this time o | of year? | Yes | No X (If no, e | xplain in Remarks | s.) | |
| Are Vegetation, Soil, or Hydrology | | - | | Circumstances" presen | | | |
| Are Vegetation, Soil, or Hydrology | | | | φlain any answers in R | | | _ |
| SUMMARY OF FINDINGS – Attach site | | | • | | , | eatures | s, etc. |
| Hydric Soil Present? Yes X | No X No X | | e Sampled A n a Wetland | | NoX | | |
| Remarks: Dryer than normal conditions were present accorditile installed at the location. | n to the APT, h | owever lack o | of wetland hyd | drology and vegetation | can be attributed | to recent | drain |
| VEGETATION – Use scientific names of p | | | | | | | |
| <u>Tree Stratum</u> (Plot size:) | Absolute % Cover | Dominant Species? | Indicator Status | Dominance Test w | orksheet: | | |
| 1. | | | | Number of Dominan Are OBL, FACW, or | t Species That | 1 | (A) |
| 3. | | | | Total Number of Do | _ | 3 | (B) |
| 5. | | | | Percent of Dominan | • | | _ |
| Sapling/Shrub Stratum (Plot size: |) | =Total Cover | | Are OBL, FACW, or | FAC: | 33.3% | _(A/B) |
| 1. | | | | Prevalence Index v | vorksheet: | | |
| 2. | | | | Total % Cover | of: Mult | iply by: | _ |
| 3 | | | | OBL species | 0 x 1 = | 0 | _ |
| 4 | | | | FACW species | 0 x 2 = | 0 | _ |
| 5. | _ | | | FAC species | 12 x 3 = | 36 | _ |
| | | =Total Cover | | FACU species | 10 x 4 = | 40 | _ |
| Herb Stratum (Plot size: 5m) | | | | UPL species | 0 x 5 = | 0 | _ |
| 1. Ambrosia trifida | 10 | Yes | FAC | Column Totals: | 22 (A) | 76 | _(B) |
| 2. Chenopodium album | 5 | Yes | FACU | Prevalence Index | = B/A =3 | 3.45 | _ |
| 3. Amaranthus palmeri | 5 | Yes | FACU | | | | |
| Cyperus rotundus | _ 2 | <u>No</u> | <u>FAC</u> | Hydrophytic Veget | | | |
| 5 | | | | · — · | or Hydrophytic Ve | getation | |
| 6 | | | | 2 - Dominance | | | |
| 7 | | | | 3 - Prevalence I | | | |
| 8 | | | | · — · · · | al Adaptations ¹ (P | | |
| 9 | | | | | rks or on a separa | , | , |
| 10 | | | | Problematic Hyd | drophytic Vegetati | on¹ (Expl | ain) |
| Woody Vine Stratum (Plot size: | | =Total Cover | | ¹ Indicators of hydric be present, unless d | | | must |
| 1 | | | | Hydrophytic | | | |
| 2 | | | | Vegetation | | | |
| | | =Total Cover | | Present? Yes | s No_ | X | |
| Remarks: (Include photo numbers here or on a se Soybeans were present at the time of the delineation | | stress to cror | os was not ob | oserved. | | | |

SOIL Sampling Point: DP1

| Depth | matrix | to the depti | | ument t x Featur | | ator or c | confirm the absence of | indicators.) | | |
|------------------------|------------------------|----------------|-----------------------|---------------------|-------------------|------------------|---|-----------------|----------------|--------------|
| (inches) | Color (moist) | <u></u> % | Color (moist) | % | Type ¹ | Loc ² | Texture | | Remarks | |
| 0-14 | N 2.5/ | 100 | | | | | Muck | | | |
| 14-24 | 5YR 3/2 | 100 | | | | | Mucky Loam/Clay | | | |
| | 011(0/2 | 100 | | | | | Widoky Loam Olay | | | |
| | | | | — | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| ¹ Type: C=C | oncentration, D=Dep | etion, RM=F | Reduced Matrix, N | /IS=Mas | ked Sand | Grains | . ² Location: | PL=Pore Lini | ng, M=Matri | х. |
| Hydric Soil | Indicators: | | | | | | Indicators | for Problem | atic Hydric | Soils³: |
| Histosol | (A1) | | Sandy Gle | yed Mat | rix (S4) | | Iron-N | langanese Ma | sses (F12) | |
| Histic Ep | pipedon (A2) | | Sandy Red | dox (S5) | | | Red F | arent Material | (F21) | |
| Black Hi | stic (A3) | | Stripped M | latrix (Se | 3) | | Very | Shallow Dark S | Surface (F22 |) |
| Hydroge | n Sulfide (A4) | | Dark Surfa | ice (S7) | | | Other | (Explain in Re | emarks) | |
| Stratified | l Layers (A5) | | Loamy Mu | cky Min | eral (F1) | | | | | |
| _X 2 cm Mu | ck (A10) | | Loamy Gle | eyed Ma | trix (F2) | | | | | |
| Depleted | l Below Dark Surface | e (A11) | Depleted N | ∕latrix (F | 3) | | | | | |
| Thick Da | rk Surface (A12) | | Redox Dai | k Surfac | e (F6) | | | | | |
| Iron Mor | osulfide (A18) | | Depleted [| Dark Sur | face (F7) |) | ³ Indicators of hydrophytic vegetation and | | | |
| Sandy M | lucky Mineral (S1) | | Redox De _l | oression | s (F8) | | wetland hydrology must be present, | | | |
| 5 cm Mu | cky Peat or Peat (S3 | 5) | | | | | unles | s disturbed or | problematic. | |
| Restrictive | Layer (if observed): | | | | | | | | | |
| Type: | | | _ | | | | | | | |
| Depth (ir | nches): | | _ | | | | Hydric Soil Present | ? | Yes X | No |
| | | | | | | | | | | |
| HYDROLO | GY | | | | | | | | | |
| Wetland Hy | drology Indicators: | | | | | | | | | |
| _ | cators (minimum of o | ne is require | ed; check all that | apply) | | | Secondar | / Indicators (m | inimum of tw | vo required) |
| Surface | Water (A1) | - | Water-Sta | ined Lea | ves (B9) | | Surfa | ce Soil Cracks | (B6) | • |
| High Wa | ter Table (A2) | | Aquatic Fa | una (B1 | 3) | | Draina | age Patterns (l | B10) | |
| Saturation | on (A3) | | True Aqua | tic Plant | s (B14) | | Dry-S | eason Water T | Γable (C2) | |
| Water M | arks (B1) | | Hydrogen | Sulfide (| Odor (C1 |) | Crayfi | sh Burrows (C | 8) | |
| Sedimer | t Deposits (B2) | | Oxidized F | Rhizosph | eres on l | Living R | oots (C3) X Satur | ation Visible o | ո Aerial Imaզ | gery (C9) |
| Drift Dep | oosits (B3) | | Presence | of Redu | ced Iron (| (C4) | | ed or Stressed | , , | |
| | t or Crust (B4) | | Recent Iro | | | lled Soil | · · · · · · · · · · · · · · · · · · · | orphic Positio | | |
| | osits (B5) | | Thin Muck | | | | FAC-l | Neutral Test (E | 05) | |
| | on Visible on Aerial I | 3 , , , | | | , , | | | | | |
| Sparsely | Vegetated Concave | Surface (B8 | 8)Other (Exp | olain in F | (emarks | | 1 | | | |
| Field Obser | | | | | | | | | | |
| Surface Wat | | | | | nches): _ | | | | | |
| Water Table | | s | | | nches): _ | | l | | | |
| Saturation P | | s | No <u>X</u> | Depth (i | nches): _ | | Wetland Hydrolog | y Present? | Yes | No X |
| (includes cap | | | -141 | ll | | | Alama Vistama ilabilar | | | |
| | corded Data (stream | - | • | • | | | , | antly radiused | aita budrala | ., |
| Remarks: | view or aeriai imager | y and inform | lation from the sit | e iessee | , recently | mstalle | d drain tile has signific | anily reduced : | site flydrolog | ly. |
| i tomarts. | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| VEGETATION Continued – Use scientific | names o | f plants. | | Sampling Point: DP1 | |
|---|---------------------|----------------------|---------------------|--|------|
| Tree Stratum | Absolute % Cover | Dominant Species? | Indicator Status | Definitions of Vegetation Strata: | |
| 6 | | | | Tree – Woody plants 3 in. (7.6 cm) or more in diame | otor |
| 7 | | | | at breast height (DBH), regardless of height. | ici |
| 8 | | | | | |
| 9 | | | | Sapling/Shrub – Woody plants less than 3 in. DBH | |
| 10 | | | | and greater than 3.28 ft (1 m) tall. | |
| 11 | | | | Herb – All herbaceous (non-woody) plants, including | |
| 12 | | | | herbaceous vines, regardless of size, and woody pla less than 3.28 ft tall. | ınts |
| 13 | | | | | |
| Sapling/Shrub Stratum | | =Total Cover | | Woody Vine – All woody vines greater than 3.28 ft in height. | n |
| 6 | | | | | |
| 7. | | | | | |
| 8. | | | | | |
| 9. | | | | | |
| 10. | | | | | |
| 11. | | | | | |
| 12. | | | | | |
| 13. | | | | | |
| | | =Total Cover | | | |
| Herb Stratum | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| | 22 | =Total Cover | | | |
| Woody Vine Stratum | | | | | |
| 3. | | | | | |
| 4 | | | | | |
| 5. | | · | | | |
| 6. | | | | | |
| 7 | - | =Total Cover | | | |
| Demarks: //nelude phote pumbers here or on a con- | orata abaat | - | | | _ |
| Remarks: (Include photo numbers here or on a sepa | arate sheet. |) | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Midwest Region

See ERDC/EL TR-10-16; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

| Project/Site: Orchard Solar | | City/Cou | nty: Sugar (| Grove / Kane | Sampling Dat | .e: <u>6-10</u> | -2025 |
|--|---------------------|-------------------|----------------------|--|---------------------------|-----------------|------------------|
| Applicant/Owner: Cleanfield Power | | | | State: IL | Sampling Poir | nt:[| DP2 |
| Investigator(s): Aric Larson, Nick Fritz (Terracon) | | Section, 1 | Γownship, Ra | ange: 27, 38N, 7E | | | |
| Landform (hillside, terrace, etc.): slope | | | Local relief (| concave, convex, none): | None | | |
| Slope (%): 2% Lat: 41.736940 | | Long: - | 88.428122 | | Datum: NAD83 | | |
| Soil Map Unit Name: 103A - Houghton muck, 0-2 pe | rcent slopes | | | NWI class | ification: PEM1C | f | |
| Are climatic / hydrologic conditions on the site typica | I for this time o | f year? | Yes | No X (If no, ex | plain in Remarks | ;.) | |
| Are Vegetation , Soil , or Hydrology | significantly of | disturbed? A | Are "Normal (| Circumstances" present | ? Yes X | No | |
| Are Vegetation, Soil, or Hydrology | _ | | | · κplain any answers in Re | | | _ |
| SUMMARY OF FINDINGS – Attach site r | | | | • | , | ieatures | s, etc. |
| Hydric Soil Present? Yes X | No No | | Sampled An a Wetland | | No | | |
| Remarks: Dryer than normal conditions were present according tile installed at the location. | n to the APT, h | owever lack o | of wetland hy | drology and vegetation c | an be attributed | to recent | drain |
| VEGETATION – Use scientific names of p | lants. | | | | | | |
| <u>Tree Stratum</u> (Plot size:) | Absolute % Cover | Dominant Species? | Indicator Status | Dominance Test wo | rksheet: | | |
| 1 | | | | Number of Dominant Are OBL, FACW, or l | • | 3 | (A) |
| 3. | | | | Total Number of Don | | | _ |
| 4 5. | | | | Across All Strata: | | 3 | _ ^(B) |
| | | =Total Cover | | Percent of Dominant Are OBL, FACW, or I | • | 100.0% | _(A/B) |
| Sapling/Shrub Stratum (Plot size: | _) | Vaa | FAC | Dravalance Index w | | | |
| 1. Morus alba 2. | 10 | Yes | <u>FAC</u> | Prevalence Index w Total % Cover o | | iply by: | |
| 3. | | | | | 0 x1= | 0 | - |
| | | | | - | 50 x 2 = | 100 | - |
| 5. | _ | | | | 30 x 3 = | 90 | - |
| | 10 | =Total Cover | | | 0 x 4 = | 0 | - |
| <u>Herb Stratum</u> (Plot size: 5m) | | | | · — | 0 x 5 = | 0 | - |
| 1. Phalaris arundinacea | 50 | Yes | FACW | | 30 (A) | 190 | (B) |
| 2. rumex crispus | 20 | Yes | FAC | Prevalence Index | | 2.38 | -` ′ |
| 3. | | | | | | | _ |
| 4. | | | | Hydrophytic Vegeta | tion Indicators: | | |
| 5. | | | | 1 - Rapid Test fo | r Hydrophytic Ve | getation | |
| 6 | | | | X 2 - Dominance T | est is >50% | | |
| 7 | | | | X 3 - Prevalence In | ıdex is ≤3.0 ¹ | | |
| 8. | | | | 4 - Morphologica | | | |
| 9 | | | | data in Remar | ks or on a separa | ate sheet) |) |
| 10 | | | | Problematic Hyd | rophytic Vegetati | on¹ (Expla | ain) |
| Woody Vine Stratum (Plot size: | 70 | =Total Cover | | ¹ Indicators of hydric s be present, unless di | | | must |
| 1. | | | | Hydrophytic | | | |
| 2. | | | | Vegetation | | | |
| | | =Total Cover | | _ | X No | | |
| Remarks: (Include photo numbers here or on a sep Soybeans were present at the time of the delineation | | stress to crop | os was not ob | oserved. | | | |

| Depth | cription: (Describe to Matrix | o tne depth | | cument th ox Featur | | ator or c | confirm the absence | e of indicators.) |
|------------------------|-------------------------------|----------------|-------------------|-------------------------------|--------------------------|------------------|------------------------|---|
| (inches) | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | Texture | Remarks |
| 0-14 | N 2.5/ | 100 | | | | | Muck | |
| 14-24 | 5YR 3/2 | 100 | | | | | Mucky Loam/Clay | |
| 14-24 | 311(3/2 | | | | | | WILLIAM LOAITI/Clay | |
| | | | | | | | | _ |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| ¹ Type: C=C | oncentration, D=Deple | etion, RM=R | educed Matrix, | MS=Masl | ed San | d Grains | . ² Locatio | on: PL=Pore Lining, M=Matrix. |
| Hydric Soil | Indicators: | | | | | | | ors for Problematic Hydric Soils ³ : |
| Histosol | (A1) | | Sandy Gl | eyed Mat | rix (S4) | | Iron | n-Manganese Masses (F12) |
| X Histic Ep | pipedon (A2) | | Sandy Re | dox (S5) | | | Red | d Parent Material (F21) |
| Black Hi | stic (A3) | | Stripped I | Matrix (S6 | 6) | | Ver | y Shallow Dark Surface (F22) |
| Hydroge | n Sulfide (A4) | | Dark Surf | ace (S7) | | | Oth | er (Explain in Remarks) |
| Stratified | d Layers (A5) | | Loamy M | ucky Mine | eral (F1) | | | |
| X 2 cm Mu | ıck (A10) | | Loamy Gl | eyed Mat | rix (F2) | | | |
| Depleted | d Below Dark Surface | (A11) | Depleted | Matrix (F | 3) | | | |
| Thick Da | ark Surface (A12) | | Redox Da | ırk Surfac | e (F6) | | _ | |
| | nosulfide (A18) | | Depleted | | |) | | ors of hydrophytic vegetation and |
| | lucky Mineral (S1) | | Redox De | pression | s (F8) | | | land hydrology must be present, |
| 5 cm Mu | ıcky Peat or Peat (S3) | | | | | | unle | ess disturbed or problematic. |
| Restrictive | Layer (if observed): | | | | | | | |
| Type: | | | _ | | | | | |
| Depth (in | nches): | | _ | | | | Hydric Soil Prese | nt? Yes <u>X</u> No |
| HYDROLO |)GY | | | | | | | |
| | drology Indicators: | | | | | | | |
| - | cators (minimum of or | ne is required | d: check all that | apply) | | | Second | ary Indicators (minimum of two require |
| | Water (A1) | io io roquirot | Water-Sta | | ves (B9) | | | face Soil Cracks (B6) |
| | iter Table (A2) | | Aquatic F | | ` ' | | | inage Patterns (B10) |
| Saturation | on (A3) | | True Aqua | - | - | | | -Season Water Table (C2) |
| Water M | larks (B1) | | Hydrogen | | |) | Cra | yfish Burrows (C8) |
| Sedimer | nt Deposits (B2) | | Oxidized | Rhizosph | eres on l | Living R | oots (C3) X Sat | uration Visible on Aerial Imagery (C9) |
| Drift Dep | oosits (B3) | | Presence | of Reduc | ed Iron (| (C4) | Stu | nted or Stressed Plants (D1) |
| Algal Ma | at or Crust (B4) | | Recent Ire | on Reduc | tion in Ti | lled Soil | s (C6) Geo | omorphic Position (D2) |
| | osits (B5) | | Thin Mucl | | ` ' | | _X_FA0 | C-Neutral Test (D5) |
| | on Visible on Aerial Im | | Gauge or | | | | | |
| Sparsely | Vegetated Concave | Surface (B8) | Other (Ex | plain in R | emarks) | | | |
| Field Obser | | | | | | | | |
| Surface Wat | | | No X | Depth (ii | - | | | |
| Water Table | | | No X | Depth (i | _ | | | |
| Saturation P | | | No <u>X</u> | Depth (i | nches): _ | | Wetland Hydrolo | ogy Present? Yes <u>X</u> No |
| (includes ca | | 701170 202 | toring wall a ==: | al phata- | provise | o incre- | tions) if available: | |
| | corded Data (stream of | | - | | | | · | ficantly reduced site hydrology. |
| Remarks: | vicvi oi aciiai iiliagely | and milomila | aon nom the Si | 1035EE | , 100 0 1111) | , motane | a arani ine nas signi | noantry reduced site flydfology. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| VEGETATION Continued – Use se | cientific names o | f plants. | | Sampling Point: DP2 |
|---|-----------------------|-------------------|---------------------|--|
| Tree Stratum | Absolute % Cover | Dominant Species? | Indicator Status | Definitions of Vegetation Strata: |
| 6 | | | | Tree – Woody plants 3 in. (7.6 cm) or more in diameter |
| 7 | | | | at breast height (DBH), regardless of height. |
| 8 | | | | |
| 9. | | | | Sapling/Shrub – Woody plants less than 3 in. DBH |
| 10. | | | | and greater than 3.28 ft (1 m) tall. |
| 11. | | | | Herb – All herbaceous (non-woody) plants, including |
| 12. | | | | herbaceous vines, regardless of size, and woody plants |
| 13. | | | | less than 3.28 ft tall. |
| | | =Total Cover | | Woody Vine – All woody vines greater than 3.28 ft in |
| Sapling/Shrub Stratum | | | | height. |
| | | | | |
| _ | | | | |
| | | | | |
| | | | | |
| | | | | |
| 10. | | | | |
| 11. | | | | |
| 12. | | | | |
| 13 | | T-4-1-0 | | |
| | 10 | =Total Cover | | |
| Herb Stratum | | | | |
| 11. | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21. | · · | | | |
| 22. | | | | |
| • | 70 | =Total Cover | | |
| Woody Vine Stratum | | | | |
| 3. | | | | |
| 4. | | | | |
| 5. | | | | |
| 6. | | | | |
| 7. | | | | |
| | | =Total Cover | | |
| | | • | | |
| Remarks: (Include photo numbers here or | on a separate sheet.) |) | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Midwest Region

See ERDC/EL TR-10-16; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

| Project/Site: Orchard Solar | Oity/Oou | nty: Sugar G | 1010 / Italio | Sampling Dat | e. <u>6-10</u> | -2025 |
|---|-----------------|---------------------|--|--------------------------------|----------------|--------------|
| Applicant/Owner: Cleanfield Power | | | State: IL | Sampling Poi | nt: | DP3 |
| Investigator(s): Aric Larson, Nick Fritz (Terracon) | Section, 7 | Γownship, Ra | nge: 27, 38N, 7E | | | |
| Landform (hillside, terrace, etc.): slope | | Local relief (c | oncave, convex, none |): None | | |
| Slope (%): 2% Lat: 41.736978 | Long: - | 88.428124 | | Datum: NAD83 | | |
| Soil Map Unit Name: 103A - Houghton muck, 0-2 percent slopes | | | NWI clas | sification: None | | |
| Are climatic / hydrologic conditions on the site typical for this time | e of year? | Yes | No X (If no, e | xplain in Remarks | s.) | |
| Are Vegetation, Soil, or Hydrologysignificantl | - | | ircumstances" presen | | | |
| Are Vegetation, Soil, or Hydrology naturally p | | | plain any answers in F | | | _ |
| SUMMARY OF FINDINGS – Attach site map show | | | · | · | eature | s, etc. |
| Hydrophytic Vegetation Present? Yes No X | Is the | Sampled Ar | ea | | | |
| Hydric Soil Present? Yes X No | within | n a Wetland? | Yes | NoX | | |
| Wetland Hydrology Present? Yes No _X | | | | | | |
| Remarks: Dryer than normal conditions were present according to the AP | T. however lack | of wetland hv | drology and vegetation | n can be attributed | d to recer | nt drain |
| tile installed at the location. | | | | | | |
| VEGETATION – Use scientific names of plants. | | | | | | |
| Tree Stratum (Plot size:) % Cove | | Indicator Status | Dominance Test w | orksheet: | | |
| 1. 2. | | | Number of Dominar Are OBL, FACW, or | • | 1 | (A) |
| 3. | | | Total Number of Do | _ | - | _ |
| 4 | | | Across All Strata: | _ | 3 | _(B) |
| 5 | =Total Cover | | Percent of Dominan Are OBL, FACW, or | • | 33.3% | _(A/B) |
| Sapling/Shrub Stratum (Plot size:) | | | | | | |
| 1 | | | Prevalence Index v | | : | |
| 2 | | | Total % Cover OBL species | 0 x 1 = | iply by: 0 | _ |
| 4 | | | FACW species | 0 x1= 0 x2= | 0 | _ |
| 5 | | | FAC species | 12 x 3 = | 36 | _ |
| · | =Total Cover | | FACU species | 10 x 4 = | 40 | _ |
| Herb Stratum (Plot size: 5m) | _ | | UPL species | 0 x 5 = | 0 | _ |
| 1. Ambrosia trifida 10 | Yes | FAC | Column Totals: | (A) | 76 | (B) |
| 2. Chenopodium album 5 | Yes | FACU | Prevalence Index | = B/A = 3 | 3.45 | - ` ′ |
| 3. Amaranthus palmeri 5 | Yes | FACU | | | | _ |
| 4. Setaria pumila 2 | No | FAC | Hydrophytic Veget | ation Indicators: | | |
| 5. | | | 1 - Rapid Test f | or Hydrophytic Ve | getation | |
| 6. | | | 2 - Dominance | Test is >50% | | |
| 7 | _ | | 3 - Prevalence | ndex is ≤3.0 ¹ | | |
| 8 | | | | al Adaptations ¹ (P | | |
| 9 | | | data in Rema | irks or on a separa | ate sheet |) |
| 10 | | | Problematic Hy | drophytic Vegetati | on¹ (Expl | lain) |
| Woody Vine Stratum (Plot size:) | _=Total Cover | | ¹ Indicators of hydric be present, unless of | | | / must |
| 1 | | | Hydrophytic | | | |
| 2. | | | Vegetation | | | |
| | | | | | | |

| Depth | Matrix | | Redo | x Featur | es | | onfirm the absenc | | | |
|---|---|----------------------------|---|--|--|--------------------------------------|--|---|--|--|
| (inches) | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | Texture | Remarks | | |
| 0-14 | N 2.5/ | 100 | , , | | | | Muck | | | |
| 14-24 | 5YR 3/2 | 100 | | | | | Mucky Loam/Clay | | | |
| | | | | | | | maeny zeamy eray | | | |
| | | | | | | | | | | |
| | | | | | | | | - | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| , , , , , , , , , , , , , , , , , , , | oncentration, D=Deple | etion, RM=R | Reduced Matrix, N | /IS=Mas | ked Sand | d Grains. | | on: PL=Pore Lining, M=Matrix. | | |
| Hydric Soil I | | | 0 | | -i (O.4) | | | ors for Problematic Hydric Soils ³ : | | |
| — Histosol (| ` ' | | Sandy Gle | - | rix (S4) | | | n-Manganese Masses (F12) | | |
| | ipedon (A2) | | Sandy Red | | | | | d Parent Material (F21) | | |
| Black His | ` , | | Stripped M | , |)) | | | ry Shallow Dark Surface (F22) | | |
| | n Sulfide (A4) | | Dark Surfa | , , | oral (E1) | | <u> </u> | ner (Explain in Remarks) | | |
| X 2 cm Mu | Layers (A5) | | Loamy Mu | - | | | | | | |
| | Below Dark Surface | (Δ11) | Loamy Gle Depleted N | - | | | | | | |
| | rk Surface (A12) | (A11) | Redox Dar | | • | | | | | |
| | osulfide (A18) | | Depleted [| | ` ' | | ³ Indicat | ors of hydrophytic vegetation and | | |
| | ucky Mineral (S1) | | Redox Dep | | ` ' | | | wetland hydrology must be present, | | |
| | cky Peat or Peat (S3) |) | | 310001011 | o (i o) | | unless disturbed or problematic. | | | |
| | ayer (if observed): | | | | | | | · | | |
| Type: | | | | | | | | | | |
| Depth (in | ches): | | _ | | | | Hydric Soil Prese | nt? Yes X No | | |
| Remarks: | , | | _ | | | | | | | |
| Nemarks. | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| HYDROLO | CV | | | | | | | | | |
| | <u> </u> | | | | | | | | | |
| _ | drology Indicators: | | | | | | | | | |
| Primary Indic | drology Indicators: ators (minimum of or | ne is require | | | | | | lary Indicators (minimum of two required) | | |
| Primary Indic | drology Indicators: ators (minimum of or Water (A1) | ne is require | Water-Sta | ned Lea | ` ' | | Su | rface Soil Cracks (B6) | | |
| Primary Indic | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) | ne is require | Water-Sta Aquatic Fa | ined Lea iuna (B1 | 3) ` ´ | | Sui Dra | rface Soil Cracks (B6) ainage Patterns (B10) | | |
| Primary Indic Surface \ High Wat Saturatio | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) | ne is require | Water-Sta Aquatic Fa True Aqua | ined Lea iuna (B1 tic Plant | 3) s (B14) | | Sur Dra | rface Soil Cracks (B6) ainage Patterns (B10) <i>y</i> -Season Water Table (C2) | | |
| Primary Indic Surface \ High Wat Saturatio Water Ma | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen | ined Lea luna (B1 tic Plant Sulfide (| 3) s (B14) Odor (C1) |) | Sui Dra Dry Cra | rface Soil Cracks (B6) ainage Patterns (B10) r-Season Water Table (C2) ayfish Burrows (C8) | | |
| Primary Indice Surface \ High Wat Saturatio Water Ma | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph | 3) s (B14) Odor (C1) eres on l |) ₋iving Ro | Sul Drs Crs Crs | rface Soil Cracks (B6) ainage Patterns (B10) /-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) | | |
| Primary Indice Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F | ined Lea una (B1 tic Plant Sulfide (Rhizosph of Reduc | 3) s (B14) Ddor (C1) eres on l ced Iron (|) Living Ro C4) | Sur Dry Cre Sar Stu | rface Soil Cracks (B6) ainage Patterns (B10) /-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) | | |
| Primary Indic Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mater | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro | ined Lea luna (B1 tic Plant Sulfide (Rhizosph of Reduc | 3) s (B14) Odor (C1) eres on L ced Iron (|) Living Ro C4) | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indic Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) | | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck | ined Lea luna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface | 3) s (B14) Odor (C1) eres on Led Iron (ction in Ties (C7) |) Living Ro C4) | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) /-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo | Arology Indicators: Eators (minimum of or Water (A1) Iter Table (A2) In (A3) Iter (B1) Iter Deposits (B2) Iter (B3) Iter (B4) Iter (B4) Iter (B5) | nagery (B7) | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat | 3) s (B14) Odor (C1) eres on L ced Iron (tion in Ti c (C7) a (D9) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave | nagery (B7) | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat | 3) s (B14) Odor (C1) eres on L ced Iron (tion in Ti c (C7) a (D9) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observa | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V) Other (Exp | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depc Inundatio Sparsely Field Observ Surface Water | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) in (A3) earks (B1) it Deposits (B2) osits (B3) it or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave in vations: er Present? Yes | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea nuna (B1 tic Plant Sulfide (thizosph of Reduc n Reduc Surface Well Dat blain in R | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti e (C7) a (D9) emarks) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Table | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial In Vegetated Concave ser vations: er Present? Yes | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti (C7) a (D9) emarks) nches): _ nches): _ |) Living Ro C4) Iled Soil: | Sul | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pri | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes eresent? Yes eresent? Yes | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea nuna (B1 tic Plant Sulfide (thizosph of Reduc n Reduc Surface Well Dat blain in R | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti (C7) a (D9) emarks) nches): _ nches): _ |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface Note that the second of the second | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes ersent? Yes esent? Yes ositlary fringe) | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti (C7) a (D9) demarks) nches): _nches): _ |) Living Ro C4) Illed Soils | Dra Dra Dry Doots (C3) Stu Stu Stu FA Wetland Hydrol | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pr (includes cap | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes Present? Yes present? Yes osillary fringe) corded Data (stream of | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp No X No X No X itoring well, aeria | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) nches): nches): nches): , previous |) Living Ro C4) Illed Soils | Sulpro Dra Dry | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pr (includes cap | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes Present? Yes present? Yes osillary fringe) corded Data (stream of | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp No X No X No X itoring well, aeria | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) nches): nches): nches): , previous |) Living Ro C4) Illed Soils | Sulpro Dra Dry | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Depo Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pr (includes cap Describe Rec Based on rev | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes Present? Yes present? Yes osillary fringe) corded Data (stream of | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp No X No X No X itoring well, aeria | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) nches): nches): nches): , previous |) Living Ro C4) Illed Soils | Sulpro Dra Dry | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |

| VEGETATION Continued – Use | Absolute | Dominant | Indicator | Sampling Point: DP3 |
|---|-------------------------|--------------|-----------|--|
| Tree Stratum | % Cover | Species? | Status | Definitions of Vegetation Strata: |
| 6 | | | | Tree – Woody plants 3 in. (7.6 cm) or more in diameter |
| 7 | | | | at breast height (DBH), regardless of height. |
| 8. | | | | |
| 9 | | | | Sapling/Shrub – Woody plants less than 3 in. DBH |
| 10 | | | | and greater than 3.28 ft (1 m) tall. |
| 11 | | | | Herb – All herbaceous (non-woody) plants, including |
| 12 | | | | herbaceous vines, regardless of size, and woody plants less than 3.28 ft tall. |
| 13 | | | | |
| | | =Total Cover | | Woody Vine – All woody vines greater than 3.28 ft in |
| Sapling/Shrub Stratum | | | | height. |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9. | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| | | =Total Cover | | |
| Herb Stratum | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | <u> </u> | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22. | | | | |
| | 22 | =Total Cover | | |
| Woody Vine Stratum | | | | |
| 3. | | | | |
| 4. | | | | |
| 5 | | | | |
| 6 | | | | |
| 7. | | | | |
| | | =Total Cover | | |
| Remarks: (Include photo numbers here of | or on a separate sheet. | • | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Midwest Region

See ERDC/EL TR-10-16; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

| Project/Site: Orchard Solar | (| City/County: Sugar | Grove / Kane | Sampling Date: | 6-10-2025 |
|--|---------------|-----------------------------------|--|----------------------------------|--------------|
| Applicant/Owner: Cleanfield Power | | | State: IL | Sampling Point: | DP4 |
| Investigator(s): Aric Larson, Nick Fritz (Terracon) | S | ection, Township, R | ange: 27, 38N, 7E | | |
| Landform (hillside, terrace, etc.): slope | | Local relief | (concave, convex, none) | : None | |
| Slope (%): 2% Lat: 41.739565 | | Long: -88.419688 | | Datum: NAD83 | |
| Soil Map Unit Name: 103A - Houghton muck, 0-2 percen | t slopes | | NWI class | ification: PEM1Cf | |
| Are climatic / hydrologic conditions on the site typical for | | r? Yes | No X (If no, ex | plain in Remarks.) | |
| Are Vegetation , Soil , or Hydrology sig | • | | Circumstances" present | | n |
| Are Vegetation , Soil , or Hydrology na | | | xplain any answers in Re | | |
| SUMMARY OF FINDINGS – Attach site map | | | | , | itures, etc. |
| Lhidranhitia Vagatatian Brasant2 - Vag - V - Na | | le the Compled | Nac. | | |
| Hydrophytic Vegetation Present? Yes X No Hydric Soil Present? Yes X No | | Is the Sampled A within a Wetland | | No | |
| Wetland Hydrology Present? Yes X No | | Within a riotian | | - " — | |
| Remarks: | | | | | |
| Dryer than normal conditions were present according to tile installed at the location. | the APT, howe | ver lack of wetland h | nydrology and vegetation | can be attributed to | recent drain |
| VEGETATION – Use scientific names of plant | ts. | | | | |
| | | minant Indicator | Deminance Test wa | ulko b o o ti | |
| <u>Tree Stratum</u> (Plot size:)) 1. | % Cover Spe | ecies? Status | Dominance Test wo | | |
| 2. | | | Number of Dominant Are OBL, FACW, or | • | 2 (A) |
| 3. | | | Total Number of Don | | ` ' |
| 4. | | | Across All Strata: | | 2 (B) |
| 5. | | | Percent of Dominant | Species That | |
| _ | =Tota | l Cover | Are OBL, FACW, or | FAC: 10 | 0.0% (A/B) |
| Sapling/Shrub Stratum (Plot size:) | | | | | |
| 1 | | | Prevalence Index w | | |
| 2 | | | Total % Cover of | | |
| 3 | | | · — | 20 x 1 = 35 x 2 = | 20 130 |
| 4 5. | | | · — | 0 x3= | 0 |
| | | al Cover | | 0 x 4 = | 0 |
| <u>Herb Stratum</u> (Plot size: 5m) | | | · — | 0 x5= | 0 |
| 1. Phalaris arundinacea | 50 | Yes FACW | | | 150 (B) |
| 2. Typha x glauca | | Yes OBL | Prevalence Index | | |
| 3. Urtica dioica | 15 | No FACW | | | |
| 4. | | | Hydrophytic Vegeta | tion Indicators: | |
| 5. | | | 1 - Rapid Test fo | r Hydrophytic Vege | tation |
| 6. | | | X 2 - Dominance T | est is >50% | |
| 7 | | | X 3 - Prevalence Ir | | |
| 8 | | | | ا Adaptations ¹ (Pro) | |
| 9 | | | | ks or on a separate | · |
| 10 | | | Problematic Hyd | rophytic Vegetation | ¹ (Explain) |
| Woody Vine Stratum (Plot size:) | 85=Tota | al Cover | ¹ Indicators of hydric s be present, unless di | | |
| 1 | | | Hydrophytic | | |
| 2 | | | Vegetation | | |
| <u> </u> | | al Cover | Present? Yes | XNo | _ |
| Remarks: (Include photo numbers here or on a separat | e sheet.) | | | | |

| Depth | ription: (Describe Matrix | to the depti | | ument t x Featur | | ator or c | confirm the absence of | of indicators.) | | |
|---------------|------------------------------|----------------|-----------------------|---------------------|-------------------|------------------|---|--------------------|-------------|----------------------|
| (inches) | Color (moist) | <u></u> % | Color (moist) | % | Type ¹ | Loc ² | Texture | Re | emarks | |
| 0-14 | N 2.5/ | 100 | , , | | | | Muck | | | |
| 14-24 | 5YR 3/2 | 100 | | | | | Mucky Loam/Clay | | | |
| | | | | | | | | | | |
| | | | | — | | | | | | |
| | | | | | | | | | | |
| | | · — – | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | oncentration, D=Dep | letion, RM=F | Reduced Matrix, N | /IS=Mas | ked Sand | d Grains | | PL=Pore Lining, | | |
| Hydric Soil | | | | | | | | s for Problemation | - | Soils ³ : |
| Histosol | ` ' | | Sandy Gle | - | | | | Manganese Masse | , , | |
| X Histic Ep | | | Sandy Red | | | | | Parent Material (F | - | |
| Black Hi | | | Stripped M | ` | 5) | | | Shallow Dark Sur | |) |
| | n Sulfide (A4) | | Dark Surfa | ` ' | | | Other | (Explain in Rema | arks) | |
| | Layers (A5) | | Loamy Mu | | | | | | | |
| X 2 cm Mu | , , | | Loamy Gle | • | ` ' | | | | | |
| | Below Dark Surface | e (A11) | Depleted N | | | | | | | |
| | rk Surface (A12) | | Redox Dai | | , , | | 3 | | | |
| | osulfide (A18) | | Depleted [| | | | | s of hydrophytic v | - | |
| | lucky Mineral (S1) | 2) | Redox De | oression | s (F8) | | | nd hydrology mus | | ent, |
| | cky Peat or Peat (S | , | | | | | unies | s disturbed or pro | biematic. | |
| | Layer (if observed): | | | | | | | | | |
| Type: | | | _ | | | | | | | |
| Depth (ir | nches): | | _ | | | | Hydric Soil Present | ? Ye | s <u>X</u> | No |
| l | | | | | | | | | | |
| HYDROLO | GY | | | | | | | | | |
| Wetland Hy | drology Indicators: | | | | | | | | | |
| Primary India | cators (minimum of o | one is require | ed; check all that | apply) | | | Secondar | y Indicators (mini | mum of to | vo required) |
| Surface | Water (A1) | | Water-Sta | ined Lea | ives (B9) | | Surfa | ce Soil Cracks (B | 6) | |
| High Wa | ter Table (A2) | | Aquatic Fa | una (B1 | 3) | | Draina | age Patterns (B10 |)) | |
| Saturation | on (A3) | | True Aqua | tic Plant | s (B14) | | Dry-S | eason Water Tab | le (C2) | |
| Water M | arks (B1) | | Hydrogen | Sulfide (| Odor (C1 |) | Crayfi | sh Burrows (C8) | | |
| Sedimer | t Deposits (B2) | | Oxidized F | Rhizosph | eres on I | Living R | oots (C3) X Satur | ation Visible on A | erial Imaç | gery (C9) |
| Drift Dep | osits (B3) | | Presence | of Redu | ced Iron (| (C4) | | ed or Stressed Pl | , , | |
| | t or Crust (B4) | | Recent Iro | | | lled Soil | ` ' — | orphic Position (I | 02) | |
| | osits (B5) | | Thin Muck | | | | X FAC-I | Neutral Test (D5) | | |
| | on Visible on Aerial I | 0 , (, | <u> </u> | | ` ' | | | | | |
| Sparsely | Vegetated Concave | Surface (B8 | 3)Other (Exp | olain in F | Remarks) | | 1 | | | |
| Field Obser | | | | | | | | | | |
| Surface Wat | | es | | | nches): _ | | | | | |
| Water Table | | es | | | nches): - | | | | | |
| Saturation P | | es | No <u>X</u> | Depth (i | nches): _ | | Wetland Hydrolog | y Present? Ye | es <u>X</u> | No |
| (includes cap | | | | lht | | _ : | tions) if available. | | | |
| | corded Data (stream | - | • | • | • | | ciions), ii avaliable: d drain tile has signific | antly reduced site | hydrolog | IV. |
| Remarks: | now or aerial illiager | y and inionin | audii iidiii iile Sil | C 103300 | , recently | nistaile | a diani ne nas signino | army reduced site | Tiyurolog | y · |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| VEGETATION Continued – Use scientific | names o | f plants. | | Sampling Point: DP4 | |
|---|---------------------|----------------------|---------------------|--|-------|
| Tree Stratum | Absolute % Cover | Dominant Species? | Indicator Status | Definitions of Vegetation Strata: | |
| 6 | | | | Tree – Woody plants 3 in. (7.6 cm) or more in dian | meter |
| 7. | | | | at breast height (DBH), regardless of height. | |
| 8. | | | | Continue/Church Was de plants less than 2 in DD | NI I |
| 9. | | | | Sapling/Shrub – Woody plants less than 3 in. DB and greater than 3.28 ft (1 m) tall. | ,H |
| 10. | | | | | i |
| 11 12 | | | | Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody processes and woody processes are size. | |
| 13. | | | | less than 3.28 ft tall. | |
| | | =Total Cover | | Woody Vine – All woody vines greater than 3.28 f | ft in |
| Sapling/Shrub Stratum | | - | | height. | |
| 6 | | | | | |
| 7. | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12. | | | | | |
| 13 | | | | | |
| Hark Charken | | =Total Cover | | | |
| Herb Stratum | | | | | |
| 11 | | | | | |
| 12 13 | | | | | |
| 13 14 | | | | | |
| 15. | | | | | |
| 16. | | | | | |
| 17. | | | | | |
| 18. | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| | 85 | =Total Cover | | | |
| Woody Vine Stratum | | | | | |
| 3. | | | | | |
| 5. | | | | | |
| 6. | | | | | |
| 7. | | | | | |
| | | =Total Cover | | | |
| Remarks: (Include photo numbers here or on a sepa | arate sheet. |) | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Midwest Region

See ERDC/EL TR-10-16; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp: 9/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)

| Project/Site: Orchard Solar | | City/Cou | ınty: Sugar (| Grove / Kane | _ Sampling Dat | te: <u>6-10-20</u> | :025 |
|--|---------------------|-------------------|---------------------|-----------------------------------|---------------------------------|---------------------------|--------|
| Applicant/Owner: Cleanfield Power | | | | State: IL | _ Sampling Poi | nt: DP | 25 |
| Investigator(s): Aric Larson, Nick Fritz (Terracon) | | Section, | Township, Ra | ange: 27, 38N, 7E | _ | | |
| Landform (hillside, terrace, etc.): slope | | | Local relief (| concave, convex, none |): None | | |
| Slope (%): 2% Lat: 41.739590 | | Long: - | -88.419493 | | Datum: NAD83 | | |
| Soil Map Unit Name: 103A - Houghton muck, 0-2 pe | ercent slopes | | | | – ———sification: None | | |
| Are climatic / hydrologic conditions on the site typical | | of year? | Yes | | | | |
| | | - | | | | | |
| Are Vegetation, Soil, or Hydrology | | | | | | | |
| Are Vegetation, Soil, or Hydrology | | | | kplain any answers in R | · | | |
| SUMMARY OF FINDINGS – Attach site | map showir | ng samplir | ng point lo | ocations, transect | s, important t | features, | etc. |
| Hydrophytic Vegetation Present? Yes | No X | Is the | e Sampled A | rea | | | |
| Hydric Soil Present? Yes X | No | | n a Wetland | | No X | | |
| Wetland Hydrology Present? Yes | No X | | | | | | |
| Remarks: | | | | | | | |
| Dryer than normal conditions were present accordi | ng to the APT, | however lack | of wetland h | ydrology and vegetatior | n can be attributed | d to recent d | drain |
| tile installed at the location. | | | | | | | |
| VEGETATION – Use scientific names of p | plants. | | | | | | |
| <u>Tree Stratum</u> (Plot size:) | Absolute % Cover | Dominant Species? | Indicator Status | Dominance Test w | orksheet: | | |
| 1. | | <u> </u> | | Number of Dominan | t Species That | | |
| 2. | | | | Are OBL, FACW, or | • | 1 (| (A) |
| 3. | | | | Total Number of Do | minant Species | | |
| 4 | | | | Across All Strata: | _ | 4 (| (B) |
| 5 | | | | Percent of Dominan | | | |
| O and the or (Others to Others to one of | | =Total Cover | | Are OBL, FACW, or | FAC: | 25.0% (| (A/B) |
| Sapling/Shrub Stratum (Plot size:1. | | | | Prevalence Index w | vorkoboot: | | |
| | | | | Total % Cover | | tiply by: | |
| 3. | | | | OBL species | $\frac{1}{0}$ $\frac{1}{x}$ 1 = | 0 | |
| 4. | | | | FACW species | 0 x 2 = | 0 | |
| 5. | | | | | 10 x 3 = | 30 | |
| | | =Total Cover | | FACU species | 15 x 4 = | 60 | |
| Herb Stratum (Plot size: 5m) | | | | UPL species | 0 x 5 = _ | 0 | |
| Ambrosia trifida | 10 | Yes | FAC | | 25 (A) _ | | (B) |
| 2. Chenopodium album | | Yes | FACU | Prevalence Index | = B/A = | 3.60 | |
| 3. Amaranthus palmeri | _ 5 | Yes | FACU | Huduanh dia Vanat | -4: | | |
| taraxacum officinale 5. | | Yes | <u>FACU</u> | Hydrophytic Vegeta | or Hydrophytic Ve | | |
| | | | | 2 - Dominance | | getation | |
| 7 | | | | 3 - Prevalence I | | | |
| 8. | | | | l | al Adaptations ¹ (P | rovide supp | orting |
| 9. | | | | data in Rema | rks or on a separ | ate sheet) | |
| 10. | | | | Problematic Hyd | drophytic Vegetat | ion ¹ (Explair | n) |
| | 25 | =Total Cover | | ¹ Indicators of hydric | soil and wetland | hydrology m | nust |
| Woody Vine Stratum (Plot size: |) | | | be present, unless d | isturbed or proble | ematic. | |
| 1. | | | | Hydrophytic | | | |
| 2 | | | | Vegetation | | | |
| | | =Total Cover | | Present? Yes | S No_ | <u>x</u> | |
| Remarks: (Include photo numbers here or on a se Soybeans were present at the time of the delineati | . , | stress to cro | os was not oh | oserved. | | | |

| Depth | Matrix | | Redo | x Featur | es | | onfirm the absenc | | | |
|---|---|----------------------------|---|--|--|--------------------------------------|--|---|--|--|
| (inches) | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | Texture | Remarks | | |
| 0-14 | N 2.5/ | 100 | , , | | | | Muck | | | |
| 14-24 | 5YR 3/2 | 100 | | | | | Mucky Loam/Clay | | | |
| | | | | | | | maeny zeamy eray | | | |
| | | | | | | | | | | |
| | | | | | | | | - | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| , , , , , , , , , , , , , , , , , , , | oncentration, D=Deple | etion, RM=R | Reduced Matrix, N | /IS=Mas | ked Sand | d Grains. | | on: PL=Pore Lining, M=Matrix. | | |
| Hydric Soil I | | | 0 | | -i (O.4) | | | ors for Problematic Hydric Soils ³ : | | |
| — Histosol (| ` ' | | Sandy Gle | - | rix (S4) | | | n-Manganese Masses (F12) | | |
| | ipedon (A2) | | Sandy Red | | | | | d Parent Material (F21) | | |
| Black His | ` , | | Stripped M | , |)) | | | ry Shallow Dark Surface (F22) | | |
| | n Sulfide (A4) | | Dark Surfa | , , | oral (E1) | | <u> </u> | ner (Explain in Remarks) | | |
| X 2 cm Mu | Layers (A5) | | Loamy Mu | - | | | | | | |
| | Below Dark Surface | (Δ11) | Loamy Gle Depleted N | - | | | | | | |
| | rk Surface (A12) | (A11) | Redox Dar | | • | | | | | |
| | osulfide (A18) | | Depleted [| | ` ' | | ³ Indicat | ors of hydrophytic vegetation and | | |
| | ucky Mineral (S1) | | Redox Dep | | ` ' | | | wetland hydrology must be present, | | |
| | cky Peat or Peat (S3) |) | | 310001011 | o (i o) | | unless disturbed or problematic. | | | |
| | ayer (if observed): | | | | | | | · | | |
| Type: | , (, - | | | | | | | | | |
| Depth (in | ches): | | _ | | | | Hydric Soil Prese | nt? Yes X No | | |
| Remarks: | , | | _ | | | | | | | |
| Nemarks. | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| HYDROLO | CV | | | | | | | | | |
| | <u> </u> | | | | | | | | | |
| _ | drology Indicators: | | | | | | | | | |
| Primary Indic | drology Indicators: ators (minimum of or | ne is require | | | | | | lary Indicators (minimum of two required) | | |
| Primary Indic | drology Indicators: ators (minimum of or Water (A1) | ne is require | Water-Sta | ned Lea | ` ' | | Su | rface Soil Cracks (B6) | | |
| Primary Indic | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) | ne is require | Water-Sta Aquatic Fa | ined Lea iuna (B1 | 3) ` ´ | | Sui Dra | rface Soil Cracks (B6) ainage Patterns (B10) | | |
| Primary Indic Surface \ High Wat Saturatio | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) | ne is require | Water-Sta Aquatic Fa True Aqua | ined Lea iuna (B1 tic Plant | 3) s (B14) | | Sur Dra | rface Soil Cracks (B6) ainage Patterns (B10) <i>y</i> -Season Water Table (C2) | | |
| Primary Indic Surface \ High Wat Saturatio Water Ma | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen | ined Lea luna (B1 tic Plant Sulfide (| 3) s (B14) Odor (C1) |) | Sui Dra Dry Cra | rface Soil Cracks (B6) ainage Patterns (B10) r-Season Water Table (C2) ayfish Burrows (C8) | | |
| Primary Indice Surface \ High Wat Saturatio Water Ma | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph | 3) s (B14) Odor (C1) eres on l |) ₋iving Ro | Sul Drs Crs Crs | rface Soil Cracks (B6) ainage Patterns (B10) /-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) | | |
| Primary Indice Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F | ined Lea una (B1 tic Plant Sulfide (Rhizosph of Reduc | 3) s (B14) Ddor (C1) eres on l ced Iron (|) Living Ro C4) | Sur Dry Cre Sar Stu | rface Soil Cracks (B6) ainage Patterns (B10) /-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) | | |
| Primary Indic Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mater | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) | ne is require | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro | ined Lea luna (B1 tic Plant Sulfide (Rhizosph of Reduc | 3) s (B14) Odor (C1) eres on L ced Iron (|) Living Ro C4) | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indic Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) | | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck | ined Lea luna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface | 3) s (B14) Odor (C1) eres on Led Iron (ction in Ties (C7) |) Living Ro C4) | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) /-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo | Arology Indicators: Eators (minimum of or Water (A1) Iter Table (A2) In (A3) Iter (B1) Iter Deposits (B2) Iter (B3) Iter (B4) Iter (B4) Iter (B5) | nagery (B7) | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat | 3) s (B14) Odor (C1) eres on L ced Iron (tion in Ti c (C7) a (D9) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface \ High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave | nagery (B7) | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat | 3) s (B14) Odor (C1) eres on L ced Iron (tion in Ti c (C7) a (D9) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observa | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V) Other (Exp | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depc Inundatio Sparsely Field Observ Surface Water | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) in (A3) earks (B1) it Deposits (B2) osits (B3) it or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave in vations: er Present? Yes | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea nuna (B1 tic Plant Sulfide (thizosph of Reduc n Reduc Surface Well Dat blain in R | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti e (C7) a (D9) emarks) |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Table | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial In Vegetated Concave ser vations: er Present? Yes | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea iuna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti (C7) a (D9) emarks) nches): _ nches): _ |) Living Ro C4) Iled Soil: | Sul | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pri | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes eresent? Yes eresent? Yes | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea nuna (B1 tic Plant Sulfide (thizosph of Reduc n Reduc Surface Well Dat blain in R | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti (C7) a (D9) emarks) nches): _ nches): _ |) Living Ro C4) Iled Soil: | Sul Dra Dry Cra Otots (C3) | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface Note that the second of the second | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) earks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes ersent? Yes esent? Yes ositlary fringe) | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti (C7) a (D9) demarks) nches): _nches): _ |) Living Ro C4) Illed Soils | Dra Dra Dry Doots (C3) Stu Stu Stu FA Wetland Hydrol | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pr (includes cap | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes Present? Yes present? Yes osillary fringe) corded Data (stream of | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp No X No X No X itoring well, aeria | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) nches): nches): nches): , previous |) Living Ro C4) Illed Soils | Sulpro Dra Dry | rface Soil Cracks (B6) ainage Patterns (B10) -Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Dep Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pr (includes cap | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes Present? Yes present? Yes osillary fringe) corded Data (stream of | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp No X No X No X itoring well, aeria | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) nches): nches): nches): , previous |) Living Ro C4) Illed Soils | Sulpro Dra Dry | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |
| Primary Indice Surface N High Wat Saturatio Water Ma Sedimen Drift Depo Algal Mat Iron Depo Inundatio Sparsely Field Observ Surface Water Water Table Saturation Pr (includes cap Describe Rec Based on rev | drology Indicators: eators (minimum of or Water (A1) ter Table (A2) n (A3) arks (B1) t Deposits (B2) osits (B3) t or Crust (B4) osits (B5) on Visible on Aerial Im Vegetated Concave (vations: er Present? Yes Present? Yes present? Yes osillary fringe) corded Data (stream of | nagery (B7) Surface (B8 | Water-Sta Aquatic Fa True Aqua Hydrogen Oxidized F Presence Recent Iro Thin Muck Gauge or V Other (Exp No X No X No X itoring well, aeria | ined Lea auna (B1 tic Plant Sulfide (Rhizosph of Reduc n Reduc Surface Well Dat blain in R Depth (i Depth (i | 3) s (B14) Ddor (C1) eres on L ced Iron (tition in Ti c (C7) a (D9) temarks) nches): nches): nches): , previous |) Living Ro C4) Illed Soils | Sulpro Dra Dry | rface Soil Cracks (B6) ainage Patterns (B10) v-Season Water Table (C2) ayfish Burrows (C8) turation Visible on Aerial Imagery (C9) unted or Stressed Plants (D1) omorphic Position (D2) C-Neutral Test (D5) | | |

| VEGETATION Continued - Use scientific | names o | f plants. | | Sampling Point: DP5 |
|---|---------------------|----------------------|---------------------|--|
| Tree Stratum | Absolute % Cover | Dominant Species? | Indicator Status | Definitions of Vegetation Strata: |
| 6 | | | | Tree – Woody plants 3 in. (7.6 cm) or more in diameter |
| 7 | | | | at breast height (DBH), regardless of height. |
| 8 | | | | |
| 9 | | | | Sapling/Shrub – Woody plants less than 3 in. DBH |
| 10 | | | | and greater than 3.28 ft (1 m) tall. |
| 11 | | | | Herb – All herbaceous (non-woody) plants, including |
| 12. | | | | herbaceous vines, regardless of size, and woody plants less than 3.28 ft tall. |
| 13 | | | | |
| | | =Total Cover | | Woody Vine – All woody vines greater than 3.28 ft in height. |
| Sapling/Shrub Stratum | | | | neight. |
| 6. | | | | |
| 7 | | | | |
| 8. | | · | | |
| 9. | | | | |
| 10. | | | | |
| 11. | | | | |
| 12. | | | | |
| 13 | - | =Total Cover | | |
| <u>Herb Stratum</u> | | - Total Cover | | |
| | | | | |
| 11 | | | | |
| 12 13 | | | | |
| 13 14 | | | | |
| 14 15. | | | | |
| 15 16 | | | | |
| 17. | | | | |
| 18. | | | | |
| 19. | | | | |
| 20. | | | | |
| 21. | | | | |
| 22. | | | | |
| | 25 | =Total Cover | | |
| Woody Vine Stratum | | • | | |
| 3 | | | | |
| 4. | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| | | =Total Cover | | |
| Remarks: (Include photo numbers here or on a sepa | arate sheet. |) | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



APPENDIX ESite Photographs





Photo 1: View from RPP1 looking north.



Photo 3: View from RPP1 looking south.



Photo 2: View from RPP1 looking east.



Photo 4: View from RPP1 looking west.





Photo 5: View from DP1 looking north.



Photo 7: View from DP1 looking south.



Photo 6: View from DP1 looking east.



Photo 8: View from DP1 looking west.





Photo 9: View from RPP2 looking north.



Photo 11: View from DP2 looking north.



Photo 10: View from RPP2 looking west.



Photo 12: View from DP2 looking east.





Photo 13: View from DP2 looking south.



Photo 15: View from DP3 looking north.



Photo 14: View from DP2 looking west.



Photo 16: View from DP3 looking east.





Photo 17: View from DP3 looking south.



Photo 19: View from Interior of wooded area (RPP3) looking north.



Photo 18: View from DP3 looking west.



Photo 20: View from RPP4 looking south.





Photo 21: View from RPP4 looking north.



Photo 23: View from RPP4 looking west.



Photo 22: View from RPP4 looking east.



Photo 24: View from DP4 looking north.





Photo 25: View from DP4 looking east.



Photo 27: View from DP4 looking west.



Photo 26: View from DP4 looking south.



Photo 28: View from DP5 looking north.





Photo 29: View from DP5 looking east.



Photo 31: View from DP5 looking west.



Photo 30: View from DP5 looking south.



APPENDIX F Credentials

Aric A. Larson

SENIOR SCIENTIST / ENVIRONMENTAL PLANNING

PROFESSIONAL EXPERIENCE

Mr. Larson has over 20 years of experience as a natural resource professional in both state government and as a private consultant; specializing in the assessment of ecosystems and natural resource management. His expertise includes wetland delineation, natural resources permitting, environmental due diligence, NEPA assessments, compliance monitoring, preliminary site evaluations, wildlife surveys, listed species permitting, and project management. Project experience includes school sites, hospitals, rail corridors and bridges, roads, natural gas pipelines, transmission corridors, residential development, solar farms, military installations, commercial projects, as well as public conservation lands.

PROJECT EXPERIENCE

Environmental Planning Due Dilligence Services – Cook County, Illinois
 Project manager and Senior Ecologist responsible for coordinating and managing all aspects of environmental planning due diligence services for a proposed data center project in Hoffman Estates, Illinois. Services included wetland delineation, preliminary threatened and endangered

species assessment, desktop culrural resaources assessment, and preliminary proteted tree inventory. Conducted daily project status briefings with the client developer to identify risks and constraints ahead of an established "go / no go" deadline. Client: Navix Engineering

Environmental Planning Services – Eau Claire County, Wisconsin

Project manager and Senior Ecologist responsible for coordinating and carrying out all aspects of environmental planning services for a proposed wholesale warehouse project near Eau Claire, Wisconsin. Services included wetland delineation, preliminary threatened and endangered species assessment, and wild lupine survey to determine presence of habitat for the Federeally endangered Karner blue butterfly. Client: Confidential

Desktop Constraints Analysis – Multiple Solar Sites in Illinois and Missouri

Project manager and Senior Ecologist responsible for coordinating and conducting desktop constraints analysis studies for proposed solar developments in Calhoun and Williamson Counties, Illinois, and Mississippi County Missouri. The analysis inlcuded the review of key elements to assist in addressing the suitability of the sites for development as a photovoltaic (PV) energy asset, and provide a preliminary baseline for project information determination. Elements assessed included land use, floodplains, topography, wetlands and jurisdicational waters, threatened and endangered species, hazardous materials, federal, state, and local regulatory requirements, cultural resources, and airspace restrictions. Client: Heelstone Renewable Energy, LLC

37,

City of Tallahassee NPDES MS4 Surface Water Monitoring – Leon County, Florida

Project manager and Senior Ecologist responsible for coordinating and carrying out all aspects of bi-monthly surface water sampling and monitoring activities for the City of Tallahassee's MS4 Stormwater Program. These activities are required for adhering to compliance conditions



EDUCATION
Bachelor of Arts
Biology
Ripon College, Ripon, WI, 1999

YEARS WITH TERRACON: 5
YEARS WITH OTHER FIRMS: 17

CERTIFICATIONS

Licensed Environmental Professional (LEP #373)

Qualified Stormwater Management Inspector (#13378)

ADDITIONAL TRAINING

Archaeological Resource Management for Land Managers, 2017

Florida Master Naturalist, 2010

USACE Wetland Delineation and Management Training, 2007

Stream Condition Index and Stream Habitat Assessment, 2003

AFFILIATIONS

International Society for Technical and Environmental Professionals (INSTEP)

Florida Energy Pipeline Association (FEPA) Member

* Work performed prior to joining Terracon.



Aric A. Larson (continued)

associated with the City's NPDES MS4 permit. Bi-monthly activities include collection of surface water samples and field analyte data. Client: City of Tallahassee

Proposed Solar Farm Environmental Due Dilligence – North and Central Florida

Senior ecologist for numerous proposed solar projects located in north and central Florida (Bay, Gulf, Hamilton, Columbia, Gilchrist, Suwannee, Jefferson, Manattee, and Hardee Counties) ranging from 800 to 1,600 acres in size. Scope of work includes wetland delineation, listed species assessments, identification of critical environmental issues, Phase I Environmental Site Assessments (ESAs), and permitting support. Client: Duke Energy

Environmental Baseline Surveys in Real Property Transactions – Tyndall AFB, Florida

Project manager and environmental professional responsible for implementing Air Force Policy Directive (AFPD) 32-70, as it applies to the responsibilities and procedures for an Environmental Baseline Survey (EBS). Scope of services included Phase I ESA meeting "All appropriate inquiries" pursuant to 40 CFR Part 312 and ASTM E1527-13; assessment of potential presence of Cultural Resources and need for consultation; and assessment for presence of natural resources. Client: Consolidated Communications

• Natural Gas Pipeline Uprate – Natural Resources Support – Northeast Florida

Senior ecologist and project manager overseeing natural resources support services for an 18.5 mile natural gas pipeline uprate project located in Duval and Nassau Conties. The scope of services includes wetland delineation and permitting with US Army Corps of Engineers (USACE) and Florida Department of Environmental Protection (FDEP) as well as local government approvals, listed species assessment and consultation with US Fish and Wildlife Service (USFWS) and Florida Fish and Wildlife Conservation Commission (FWC), desktop assessment for cultural resources and coordination with the State Historic Preservation Office (SHPO), National Pollution Discharge Elimination System (NPDES) permitting support, and development and implementation of a stormwater pollution prevention plan (SWPPP). Client: Magnolia River

Telecommunications Limited Environmental Assessments and NEPA Services – North Florida

Project manager and senior ecologist on multiple projects for a large national telecommunications provider, responsible for the oversight of Limited Environmental Site Assessments at numerous proposed 5G small cell locations located throughout north Florida. Many of these locations have been prioritized for local emergency operations centers in response to Hurricane Michael and require highly expedited deliverable submittals. Scope of work includes site reconnaissance in accordance with 40 CFR Part 312 and ASTM E1528-14e1, and regulatory database review in accordance with All Appropriate Inquiries (AAI) regulations and ASTM E1527-13. Scope of work also includes analysis of constraints associated with wetlands and other surface waters, as well as threatened and endangered species constraints. Coordinated all aspects of the FCC NEPA / Section 106 process as applicable for each small cell location. Client: Verizon

Everglades Restoration Permitting – Miami-Dade, Broward, Palm Beach, and Monroe Counties, Florida *

Served as the Environmental Manager for the FDEP Office of Ecosystem Projects, responsible for implementing permitting and program support activities for the FDEP in accordance with Chapters 403 and 373 F.S. to implement the Comprehensive Everglades Restoration Plan (CERP), Northern Everglades and Estuaries Protection Program (NEEPP), and the Everglades Forever Act (EFA). Evaluate potential environmental impacts and effects on water quality and surrounding ecosystems resulting from the construction and operations of large-scale civil works projects including reservoirs, impoundments, and stormwater treatment areas (STAs) associated with Everglades restoration. Key customers included the South Florida Water Management District, U.S. Army Corps of Engineers, National Park Service, and Florida Department of Transportation. Issued permits for high profile projects including the C-43 Reservoir, C-44 Reservoir and STA, Tamiami Trail Bridge Projects, and S-333N Expansion Project.



Kelsey Retich

Project Scientist, Environmental Planning

PROFESSIONAL EXPERIENCE

Ms. Retich is a Project Scientist in the Environmental Planning Group for Terracon's Glendale Heights, Illinois office. She has over ten years of experience in natural resources with an emphasis in wildlife and conservation biology.

As a threatened and endangered (T&E) species biologist, Kelsey shares her expertise in National Environmental Policy Act (NEPA) analysis and biological evaluations and assessments ranging from large-scale vegetation management Environmental Assessments (EAs) to small projects under Categorical Exclusions (CEs). She is well-versed in regulatory compliance and has extensive experience with Section 7 consultation under the Endangered Species Act (ESA), Bald and Golden Eagle Protection Act (BGEPA), and Migratory Bird Treaty Act (MBTA).

SELECT PROJECT EXPERIENCE

Conexon Fiber Optics Project, Arizona (2025)

Kelsey is serving as the lead biologist for this large-scale fiber optics installation project occurring across multiple land jurisdictions including United States Forest Service (USFS), Bureau of Land Management, State Lands, Private Land, etc. She is leading coordination efforts with the USFS and required biological surveys and analysis.

Telecommunications Tower Avian Surveys and Reports for Verizon Wireless (2025)

Kelsey has provided avian expertise in organizing field surveys for nesting birds in telecommunication towers, identifying species present, nesting status, and overall reporting for telecommunication tower maintenance projects.

Caltrans Restoration Project, California (2025)

Kelsey served as a biological monitor conducting California Tiger Salamander burrow excavations under a designated biologist for a Caltrans restoration project.

T&E Habitat Assessments for Solar Array Projects (Illinois and Minnesota) (2025)

Experience writing numerous T&E habitat assessment reports for solar array projects occurring in midwestern states.

*Social and Ecological Resilience Across the Landscape 2.0 (SERAL 2.0) EIS, Stanislaus National Forest, California (2022-2024)

Kelsey was the lead wildlife biologist on the project and provided technical expertise for the SERAL 2.0 large landscape project. She wrote the biological assessment (BA) . Providing research, technical writing, and species effects determinations. The BA was prepared in accordance with legal requirements pursuant to Section 7 of the Endangered Species Act, the Migratory Bird Treaty

EDUCATION

Bachelor of Science, Biology with an Emphasis in Wildlife/Natural Resource Management Minor, Grand Valley State University, Allendale, MI, 2014

WORK HISTORY

Terracon, Project Scientist, Environmental Planning, 2025-Present

United States Department of Agriculture (USDA), United States Forest Service (USFS), Stanislaus National Forest, CA 2022 - 2025

USDA, USFS, Colville National Forest, WA 2017 -2022

USDA, USFS, Umatilla National Forest, OR 2020-2021

Department of the Interior (DOI), Bureau of Land Management (BLM), Las Vegas Field Office and Red Rock National Conservation Area, NV 2016-2017

USDA, USFS, San Bernardino National Forest, CA 2015

DOI, Bureau of Reclamation (BOR) Socorro, NM 2014-2015

USDA, USFS, Huron-Manistee National Forest, MI 2013



Act, the Bald and Golden Eagle Protection Act, and applicable agency guidance documents. Work on this project also included California spotted owl, American goshawk, and great gray owl survey.

*Stanislaus Forest-wide Hazard Tree Mitigation EA, Stanislaus National Forest, California (2023-2025)

Ms. Retich was the lead wildlife biologist on the project and provided technical expertise for the Forest-wide Hazard Tree Mitigation Project. She wrote the biological assessment (BA). Providing research, technical writing, and species effects determinations. The BA was prepared in accordance with legal requirements pursuant to Section 7 of the Endangered Species Act, the Migratory Bird Treaty Act, the Bald and Golden Eagle Protection Act, and applicable agency guidance documents. California spotted owl, American goshawk, great gray Owl, and mesocarnivore camera survey.

*Dollar Mountain Vegetation Management Project EA, Colville National Forest, Washington (2019-2022)

Kelsey was the lead wildlife biologist on the project and provided technical expertise for the large landscape project. She wrote the biological assessment (BA). Providing research, technical writing, and species effects determinations. The BA was prepared in accordance with legal requirements pursuant to Section 7 of the Endangered Species Act, the Migratory Bird Treaty Act, the Bald and Golden Eagle Protection Act, and applicable agency guidance documents. In addition, she managed technicians, provided training and guidance to the technicians and performed field work for the project. Field work included survey for Canada lynx, American goshawk, and acoustic bat survey.

*Bulldog Vegetation Management Project EA, Colville National Forest, Washington (2018-2021)

Kelsey was the lead wildlife biologist on the project and provided technical expertise for the large landscape project. She wrote the biological assessment (BA). Providing research, technical writing, and species effects determinations. The BA was prepared in accordance with legal requirements pursuant to Section 7 of the Endangered Species Act, the Migratory Bird Treaty Act, the Bald and Golden Eagle Protection Act, and applicable agency guidance documents. In addition, she managed technicians, provided training and guidance to the technicians and performed field work for the project. Field work included survey for Canada lynx, American goshawk, and acoustic bat survey.

*Ellis Vegetation Management Project EIS, Umatilla National Forest, Oregon (2020-2021)

Ms. Retich assisted with the Ellis project. She contributed to the biological assessment (BA) by providing research, technical writing, and species effects determinations. The BA was prepared in accordance with legal requirements pursuant to Section 7 of the Endangered Species Act, the Migratory Bird Treaty Act, the Bald and Golden Eagle Protection Act, and applicable agency guidance documents.

*Sanpoil Vegetation Management Project EA, Colville National Forest, Washington (2017-2020)

Kelsey was the lead wildlife biologist on the project and provided technical expertise for the large landscape project. She wrote the biological assessment (BA). Providing research, technical writing, and species effects determinations. The BA was prepared in accordance with legal requirements pursuant to Section 7 of the Endangered Species Act, the Migratory Bird Treaty Act, the Bald and Golden Eagle Protection Act, and applicable agency guidance documents. In addition, she managed technicians, provided training and guidance to the technicians and performed field work for the project. Field work included survey for Canada lynx, American goshawk, and acoustic bat survey.

*Experience Prior to Terracon Employment





APPENDIX G Common Acronyms



COMMON ACRONMYS

ADID Advanced Identification of Wetlands Program

AJD Approved Jurisdictional Determination

CWA Clean Water Act

EPA Environmental Protection Agency

FAC Facultative

FACU Facultative Upland

FACW Facultative Wetland

FEMA Federal Emergency Management Agency

FIRM Flood Insurance Rate Map

FQI Floristic Quality Index

GPS Global Positioning Systems

IDNR Illinois Department of Natural Resources

IEPA Illinois Environmental Protection Agency

NHI Natural Heritage Inventory

NRCS Natural Resource Conservation Service

NWI National Wetlands Inventory

OBL Obligate Wetland

OHWM Ordinary High-Water Mark

PJD Preliminary Jurisdictional Determination

UPL Obligate Upland



USACE U.S. Army Corps of Engineers

USDA U.S. Department of Agriculture

USFWS U.S. Fish and Wildlife Service

USGS U.S. Geologic Survey

WOTUS Waters of the U.S.